


## HPT Compression Tools



HPT-1100

HPT-BNC

HPT-6590

- **Ergonomic and compact and lightweight design** can be operated easily and comfortably with either hand.
- **Integrated insertion port** eliminates the need for a separate insertion tool.
- **Tool locking mechanism** keeps handle secure during storage
- **Patented and efficient self-releasing dogs** facilitate easy, one-handed cable insertion and removal while ensuring 360-degree connector support.

### DESCRIPTION

HPT pocket compression tools insert and attach all cable compression connectors used in drop cable applications and are an affordable solution to ensure consistent, precise performance, every time.

### APPLICATIONS

The HPT series of pocket tools attach all RCA, BNC, and F-type compression connectors used on RG-6, -59, -11 and mini-coax cables.

### SPECIAL FEATURES

#### **Ergonomic and Compact Design:**

With a convenient pocket-sized design, HPT universal compression tools can be operated easily and comfortably with either hand. A uniquely designed tool body with a wrap-around comfort grip is made from high strength materials that are surprisingly lightweight.




*Continued next page*

## HPT Compression Tools

### SPECIAL FEATURES *(continued)*

#### **Universal Plunger Tips:**

The plunger tips on HPT compression tools are truly universal. The tools support all connector types within a class, with no need to recalibrate the plunger throw or change the tip. The compression throw distance is set at the factory, and a hex lock nut keeps the tool calibrated over long periods of use. Field recalibration, when necessary for out-of-range connectors, is quick and easy.



#### **Slotted Plunger Tip for RCA Connectors:**

The HPT plunger tip is slotted to accommodate RCA-type connectors, facilitating easy connector insertion.



#### **Integrated Insertion Port:**

Connector insertion ports molded into the tool for RCA, BNC, and F-connectors eliminate the need for and inconvenience of a separate insertion tool.




#### **360-Degree Connector Support:**

Patented dogs provide 360-degree connector support, thereby ensuring uniform compression and preventing connector distortion caused by misalignment.



#### **Efficient Self-releasing Dogs:**

Cables can be easily inserted and removed from the dogs with one hand, making HPT tools convenient and easy to use while avoiding damage to cables.



#### **Easy-release Handle:**

The handle lock keeps the handle secure during storage.



# HPT Compression Tools

## ORDERING INFORMATION

- HPT-6590 is used for RCA, some BNC, and F-type connectors used on RG-6, -59 cables.
- HPT-1100 is used for F-type connectors used on RG-7 & 11 cables
- HPT-BNC is used for RCA and BNC connectors.

Abbreviations used for HPT ordering information:

- ICC** International Connectors and Cable
- PPC** Production Products Company
- PCT** Phoenix Communications Technology
- SNS** Thomas & Betts Snap-N-Seal



Manufacturer	Connector Type	HPT-6590	HPT-1100	HPT-BNC
Cablecon CX3	CX3 6 & 59	●		
Cablecon CX3	CX3 BNC			●
Channel Vision	Push & Seal® 6, 59 and mini (F and RCA)	●		
Channel Vision	Push & Seal® 6, 59 and mini (BNC)		●	
Channel Vision	Push & Seal® 7 & 11 (F)			●
Corning Cablecon	CX3 6 & 59 (F)	●		
Corning Cablecon	CX3 7 & 11 (F)		●	
Corning Gilbert	GAS320QRP		●	
Corning Gilbert	Ultra Ease® 6, 59 & mini (F and RCA)	●		
Corning Gilbert	Ultra Ease® 6, 59 & mini (BNC)			●
Corning Gilbert	Ultra Ease® 7 & 11 (F)		●	
Corning Gilbert	Ultra Range® 6 & 59 (F)	●		
Digicon®	DS 6, 59 & mini (F and RCA)	●		
Digicon®	DS 6, 59 & mini (BNC)			●
Digicon®	DS 7 & 11 (F)		●	
F-conn	FS 6, 59 & mini (F and RCA)	●		
F-conn	FS 6, 59 & mini (BNC)			●
F-conn	FS 7 & 11 (F)		●	

Continued next page

# HPT Compression Tools

## ORDERING INFORMATION *(continued)*



Manufacturer	Connector Type	HPT-6590	HPT-1100	HPT-BNC
Holland Electronics	Superlok SLC® 6, 59 and mini (F and RCA)	●		
Holland Electronics	Superlok SLC® 6, 59 and mini (BNC)	●		
Holland Electronics	Superlok SLC® 11 (F)		●	
ICC	Push & Seal® 6 & 59 (F)	●		
ICC	Push & Seal® 7 & 11 (F)		●	
Ideal	OmniCONN 6 & 59 (F and RCA)	●		
Ideal	Uniseal® 6 & 59 (F)	●		
Liberty	ConnecTec 6 & 59 (F and RCA)	●		
Liberty	ConnecTec 6 & 59 (BNC)			●
Paladin	Seal Tight® 6 & 59 (F and RCA)	●		
Paladin	Seal Tight® 6 & 59 (BNC)			●
Phoenix (PCT)	DRS 6 & 59 (F and RCA)	●		
Phoenix (PCT)	Mini 59 (F)	●		
Phoenix (PCT)	DRS 6 & 59 (BNC)			●
Phoenix (PCT)	DRS 7 & 11 (F)		●	
Phoenix (PCT)	TRS 6 & 59 (F)	●		
Phoenix (PCT)	TRS 7 & 11 (F)		●	
Pico Macom	Perma Seal II® 6 & 59 (F)	●		
Pico Macom	Perma Seal II® 7 & 11 (F)		●	
Pico Macom	Push and Seal 6, 59 and mini (F and RCA)	●		
Pico Macom	Push and Seal 6, 59 and mini (BNC)			●
PPC	CMP Mini 59 (F)	●		
PPC	CMP 6 & 59 (RCA)	●		

Continued next page

# HPT Compression Tools

## ORDERING INFORMATION *(continued)*



Manufacturer	Connector Type	HPT-6590	HPT-1100	HPT-BNC
PPC	CMP 6 & 59 (BNC)			●
PPC	CMP EXXL and EXXLWS 6 & 59 (F)	●		
PPC	EX 6 & 59 (F)	●		
PPC	EX 6 & 59 (BNC)			●
PPC	EX 7 & 11 (F)		●	
PPC	EX 320QR		●	
Stirling	6 & 59 (F)	●		
Steren	Perma Seal II® 6, 59 and mini (F and RCA)	●		
Steren	Perma Seal II® 6, 59 and mini (BNC)			●
Steren	Perma Seal II® 7 & 11 (F)		●	
Stirling	7 & 11 (F)		●	
Stirling	SPL 6 (RCA)	●		
Stirling	SPL 6 (BNC)			●
Stirling	SPL 11 (F)		●	
Belden/PPC	Snap-N-Seal® (SNS) 6, 59 and mini (F and RCA)	●		
Belden/PPC	Snap-N-Seal® (SNS) 6, 59 and mini (BNC)			●

## SPECIFICATIONS

HPT Tool Part Number	Color	Dimension (Inches)	Weight (Pounds)	Weight (Kilograms)
HPT-6590	Yellow	6.75	.50	.22
HPT-1100	Blue	7.25	.50	.22
HPT-BNC	Red	7.25	.50	.22

© 2022 Ben Hughes Communication Products Company. All rights reserved.

Cable Prep brand products and tools are covered under one or more of the following patents: U.S. Pat. Nos.: 7,849,589; 7,232,235; 7,322,713 and other patents pending.

Cable Prep, the Cable Prep logo, Tools You Trust, and the Cable Prep Tools You Trust logo are registered and common law trademarks of Ben Hughes Communication Products Company. All other trademarks are the property of their respective owners.

Published May, 2022